



**RESCUE MATE**

**CAPACITOR JUMPSTARTERS**





**OC-RM500**

# 500 AMP CAPACITOR JUMPSTARTER

90 SECONDS FULLY CHARGED\*



**RESCUE MATE**

The OzCharge RM500 Rescue Mate is fully microprocessor controlled and contains NO batteries.

Most vehicles require a battery over 11.5V and with ample capacity to start a vehicle. Below this voltage, you will most likely not be able to start the vehicle. While your battery may seem “flat” because the vehicle won’t start, more often than not, voltage and capacity still remains within the battery. The Rescue Mate utilises the remaining battery capacity and charges up from the flat battery providing the flat battery contains at least 3 volts. Once charged, simply press the RUN button and the power is delivered to your battery as you turn the ignition.

If your vehicle’s flat battery is below 3V then you’re still able to charge the device off another vehicle’s battery / power source or use the USB input to charge up the device from a powerbank or similar device.

If you have a flat battery, you have a jumpstart.



VIA VEHICLE'S FLAT BATTERY	90SEC*
ANOTHER VEHICLE'S BATTERY	90SEC*
VIA CIGARETTE LIGHTER	3MIN
VIA USB	25MIN

## WHAT'S INCLUDED

OC-RM500

CARRY CASE

USB CHARGE CABLE

CIGARETTE LIGHTER PLUG CHARGE CABLE

\* Charge time may vary and is dependent on battery condition

\*\* This device may not work on all Diesel vehicles due to longer cranking times required to start Diesel engines and the amount of power required to heat up the glow plugs on older vehicles.



**OC-RM1000**

**1000 AMP CAPACITOR JUMPSTARTER**

**90 SECONDS FULLY CHARGED\***


**RESCUE MATE**

The Ozcharge RM1000 Rescue Mate Jump Starter is specifically designed for diesel engines and larger gas engines that need the extra grunt to get started.

Most vehicles require a battery over 11.5V and with ample capacity to start a vehicle. Below this voltage, you will most likely not be able to start the vehicle. While your battery may seem “flat” because the vehicle won’t start, more often than not, voltage and capacity still remains within the battery. The Rescue Mate utilises the remaining battery capacity and charges up from the flat battery providing the flat battery contains at least 3 volts. Once charged, simply press the RUN button and the power is delivered to your battery as you turn the ignition.



If your vehicle’s flat battery is below 3V then you’re still able to charge the device off another vehicle’s battery / power source or use the USB input to charge up the device from a powerbank or similar device.

If you have a flat battery, you have a jumpstart.



VIA VEHICLE'S FLAT BATTERY  
ANOTHER VEHICLE'S BATTERY  
VIA CIGARETTE LIGHTER  
VIA USB

90SEC\*  
90SEC\*  
5MIN  
50MIN



**WHAT'S INCLUDED**

**OC-RM1000**

**USB CHARGE CABLE**

**CIGARETTE LIGHTER PLUG CHARGE CABLE**

\* Charge time may vary and is dependent on battery condition

## NO MAINTENANCE

UNLIKE LITHIUM NO REGULAR CHARGING IS REQUIRED WITH THE RESCUE MATE

## CAPACITOR TECHNOLOGY

SMART, SAFE, BATTERY-LESS TECHNOLOGY.  
500,000 JUMPSTARTS AT THE PUSH OF A BUTTON

## STORE AND FORGET

YOU CAN LEAVE THE RESCUE MATE IN YOUR VEHICLE INDEFINITELY. CONNECT IT TO YOUR FLAT BATTERY AND YOU'RE READY TO GO IN UNDER 90 SECONDS

## EASY TO OPERATE

1 BUTTON AND A LCD DISPLAY ALLOWS



## MODEL SPECIFICATIONS

RM1000

RM500

	RM1000	RM500
Input voltage	3 - 15.5 VDC	3 - 15.5 VDC
Output voltage / amps	12V / 1000A	12V / 500A
Operating temperature	-40°C to 65°C -40° to 149°F	-40°C to 65°C -40°F to 149°F
Cycle life	500,000	500,000
Charging time - 12V battery	90 seconds*	90 seconds*
Charging time - 12V outlet (cig. socket)	5 minutes*	3 minutes*
Charging time - 5V USB outlet	50 minutes*	25 minutes*
IP rating (Dust and Water Resistance)	IP40	IP52
Output leads length	400mm 15.7 in	400mm 15.7 in
Dimensions	295 x 250 x 98mm 11.61 x 9.84 x 3.85 in	318 x 104 x 55 mm 12.52 x 4.1 x 2.17 in
Weight	2.5kg / 5.51lbs	1.5kg / 3.3lbs
Maximum engine capacity	10.0L Petrol Engine 5.0L Diesel Engine	5.0L Petrol Engine

Ozcharge Australia  
166 Christmas St, Fairfield, 3078  
Office: (03) 9482 2203  
Email: [info@zylux.com.au](mailto:info@zylux.com.au)  
Website: [www.ozcharge.com.au](http://www.ozcharge.com.au)

Ozcharge America  
Jeffrey Riggs  
Marketing & Sales – America  
Belleville, MI 48111  
Office: 734.699.5658  
Mobile: 313.268.9226  
Email: [JeffreyRiggs@ozcharge.com](mailto:JeffreyRiggs@ozcharge.com)  
Website: [www.ozcharge.com](http://www.ozcharge.com)

